

**TRANSLATION of**  
 EC Declaration of Conformity  
 in accordance with EC directive 89/106EEC

**A-8230 Hartberg**  
**Am Ökopark 6**  
 Telefon +43(0)3332 66680  
 Telefax +43(0)3332 66681  
 E-mail: info@cph.at

Manufacturer: CPH-Zellulose Dämmstoffproduktion GmbH & Co. KG  
 Am Ökopark 6  
 A-8230 Hartberg

Manufacturing plant: A-8230 Hartberg

Product: **Isocell, clima-super, trendisol, climacell,**  
**Zimmermeisterhaus-Flocke, Isolek, Dobry – Ekovilla**  
 Cellulose blow-in insulation

Product characteristics:

Density range – blown into open space, horizontal	ISO/CD 18393	28 – 40 kg/m <sup>3</sup>
Density range – cavities	ISO/CD 18393	38 – 65 kg/m <sup>3</sup>
Excess according to approval – exposed, horizontal up to 25cm	ISO/CD 18393	10%
Excess according to approval – exposed, horizontal over 25cm	ISO/CD 18393	15%
Settlement – cavities	ISO/CD 18393	0%
Thermal conductivity	EN 10456	$\lambda_{D(23.50)} = 0.039$ W/mK
<b>Fire behaviour*</b>	EN 13501 -1	klasa euro B-s2, d0
Water vapour diffusion resistance	--	$\mu = 1$
Water absorption 30/50 kg/m <sup>3</sup> d = 10cm	EN 1609	Wp=15.20/38.95kg/m <sup>2</sup>
Air flow resistance 30/50 kg/m <sup>3</sup>	EN 29053	r=5.3/25.1 kPa s/m <sup>2</sup>

European technical specification: **European Technical Approval ETA-06/0076**

EC Certificate of Conformity no.\*: **1159-CBD-0138/06**

Tested at: ECOLabor  
 A-8510 Stainz

Certified by: BauCert Styria  
 A-8010 Graz

The manufacturer is hereby entitled to apply CE marking to the building product in accordance with § 18 of Styrian Construction Products legislation 2000.

Hartberg, 14.01.2008

signed by: Wolfgang Lackner (Managing Director)

CPH Zellulosedämmstoffproduktion  
 Beteiligungs GmbH & Co KG

A-8230 Hartberg · Am Ökopark 6

Telefon +43(0)3332 66680 · Fax +43(0)3332 66681